





**LIGHT-DUTY LEVELERS**  
**THREADED GLIDES**

**Threaded Leveling Glides**

1-4 Light Duty, (Non-Swivel & Free-Turning) *threaded glides* are designed for light duty applications. Zinc plated stud and plastic base with nickel plated steel shell for improved appearance (black plastic base has a black oxide shell). Also available with a PVC base (-PVC) and a gray rubber base (-RG). The IL9-CAST is made to replace caster wheels on tables and chairs. More caster glides are shown at the end of this section. IL9-6Hx15-HX-SL has a Top-A-Just™ hex and slot.



5-Light Duty, (Swivel), Plastic Base *threaded glides* swivel 15° and are designed for light duty applications. Zinc-plated stud and plastic base with nickel plated steel shell for improved appearance. Same design as #6 below. IL13A offers greater swivel and does not have the lower hex.



6-Light Duty, (Non-Swivel), Plastic Base *threaded glides* are designed for light duty applications. Zinc-plated stud and plastic base with nickel plated steel shell for improved appearance. Same design as #5 above except non-swivel.



6A-Light Duty, (Non-Swivel), Plastic Base, No Hex *threaded glides* are designed for light duty applications. Zinc-plated stud and plastic base with nickel plated steel shell for improved appearance. To order without nickel-plated shell, add (-WH) for white base. The IL14A glides do not have a lower hex. Gold finish available as a custom option.

Part Nbr.	Thread	Hex	A	B	C	Base
<b>1-Light Duty, (Non-Swivel) Plastic, Rubber or PVC Base</b>						
IL9A-41H	1/4-20	YES	1	1	3/4	White
IL9-41	1/4-20	NO	1-3/8	1	5/8	White
IL9A-5HBx15	5/16-18	YES	1	1-1/2	3/4	Black
IL9A-5Hx15	5/16-18	YES	1	1-1/2	3/4	White
IL9-6Hx15-HX-SL	5/16-18	YES	1	1-1/2	3/4	White
IL9-5Hx15-PVC	5/16-18	YES	1-3/8	1-1/2	3/4	Gray
IL9-5Hx15-RG	5/16-18	YES	1-3/8	1-1/2	3/4	Gray
IL9-52H-RG	5/16-18	YES	1-3/8	2	3/4	Gray
IL9-51	5/16-18	NO	1-3/8	1	5/8	White
IL9-51H	5/16-18	YES	1-3/8	1	3/4	White
IL9-5Hx15	5/16-18	YES	1-3/8	1-1/2	3/4	White
IL9-52H	5/16-18	YES	1-3/8	2	3/4	White
IL9A-6x15	3/8-16	NO	1	1-1/2	5/8	White
IL9-61H	3/8-16	YES	1-3/8	1-1/2	3/4	White
IL9-6Hx15-PVC	3/8-16	YES	1-3/8	1-1/2	3/4	Gray
IL9-62H	3/8-16	YES	1-3/8	2	3/4	White
IL9-62HB	3/8-16	YES	1-3/8	2	3/4	Black
IL9-62HB-PVC	3/8-16	YES	1-3/8	2	3/4	Black
IL9-63H	3/8-16	YES	1-3/8	3-1/2	3/4	White
IL9-6Hx3	3/8-16	YES	1-3/8	3	3/4	White
IL9-CAST	7/16	NO	3/8	7/8	5/8	White
IL9-CAST-RG	7/16	NO	3/8	7/8	5/8	Gray

**1-Metric Light Duty, (Non-Swivel) Plastic Base**

IL9-M6H	M6x1.0	YES	1-3/8	1	3/4	White
IL9-M8H	M8x1.25	YES	1-3/8	1	3/4	White
IL9-M10H	M10x1.50	YES	1-3/8	1	3/4	White
IL9-M10Hx38	M10x1.50	YES	1-3/8	1-1/2	3/4	White

**2-Light Duty, (Free Turning), Plastic Base**

IL10-61H	3/8-16	YES	1-3/8	1-1/2	3/4	White
IL10-62H	3/8-16	YES	1-3/8	2-1/2	3/4	White
IL10-72H	1/2-13	YES	1-3/8	2-1/2	3/4	White

**3-Light Duty, (Non-Swivel) Plastic or Rubber Base**

IL11-61H	3/8-16	YES	1-3/4	1-1/2	7/8	White
IL11A-61H-GR	3/8-16	YES	2-1/4	1	7/8	Gray
IL11-62H	3/8-16	YES	1-3/4	2-1/2	7/8	White
IL11-63H	3/8-16	YES	1-3/4	3-1/2	7/8	White
IL11-65H	3/8-16	YES	1-3/4	5	7/8	White

**4-Light Duty, (Free-Turning), Plastic or PVC Base**

IL12-72H	1/2-13	YES	1-3/4	2-1/2	3/4	White
IL12-72H-PVC	1/2-13	YES	1-3/4	2-1/2	3/4	Grey
IL12B-72H	1/2-13	YES	2-1/4	2-1/2	3/4	White

Part Nbr.	Thread	Hex	A	B	C	Base
<b>5-Light Duty, (Swivel), Plastic Base</b>						
IL13-41	1/4-20	YES	1-1/8	1	5/8	White
IL13-4x1/2	1/4-20	YES	1-1/8	1/2	5/8	White
IL13-51	5/16-18	YES	1-1/8	1	5/8	White
IL13-5X15	5/16-18	YES	1-1/8	1-1/2	5/8	White
IL13-52	5/16-18	YES	1-1/8	2	5/8	White
IL13-61	3/8-16	YES	1-1/8	1	5/8	White
IL13-6x15	3/8-16	YES	1-1/8	1-1/2	5/8	White
IL13-62	3/8-16	YES	1-1/8	2	5/8	White
IL13A-6x15	3/8-16	NO	1-1/4	1-1/2	1/2	White
IL13A-62	3/8-16	NO	1-1/4	2	1/2	White
IL13A-CAST-SVL	7/16	NO	1-1/4	2	1/2	White

**5-Metric Light Duty, (Swivel), Plastic Base**

IL13-M6x25	M6x1.0	YES	1-1/8	1	5/8	White
IL13-M8x25	M8x1.25	YES	1-1/8	1	5/8	White
IL13-M8x38	M8x1.25	YES	1-1/8	1-1/2	5/8	White
IL13-M10x25	M10x1.50	YES	1-1/8	1	5/8	White
IL13-M10x38	M10x1.50	YES	1-1/8	1-1/2	5/8	White

**6-Light Duty, (Non-Swivel), Plastic Base**

IL14-41H	1/4-20	YES	1-1/8	1	5/8	White
IL14-51H	5/16-18	YES	1-1/8	1	5/8	White
IL14-5x15H	5/16-18	YES	1-1/8	1-1/2	5/8	White
IL14-5x625H	5/16-18	YES	1-1/8	5/8	5/8	White
IL14-61H	3/8-16	YES	1-1/8	1	5/8	White
IL14-6x15H	3/8-16	YES	1-1/8	1-1/2	5/8	White
IL14-6Hx15-BRS	3/8-16	YES	1-3/8	1-1/2	5/8	Brass

**6A-Light Duty, (Non-Swivel), Plastic Base, No Hex**

IL14A-4x1/2	1/4-20	NO	1-1/8	1/2	1/2	White
IL14A-4x3/4	1/4-20	NO	1-1/8	3/4	1/2	White
IL14A-41	1/4-20	NO	1-1/8	1	1/2	White
IL14A-4x15	1/4-20	NO	1-1/8	1-1/2	1/2	White
IL14A-5x1/2	5/16-18	NO	1-1/8	1/2	1/2	White
IL14A-51	5/16-18	NO	1-1/8	1	1/2	White
IL14A-5x15	5/16-18	NO	1-1/8	1-1/2	1/2	White
IL14A-52	5/16-18	NO	1-1/8	2	1/2	White




**LIGHT-DUTY LEVELERS**  
**THREADED GLIDES**

**Threaded Leveling Glides**


7-Light Duty, (Non-Swivel), Black Vinyl Base *threaded glides* have a zinc plated steel stud and non-skid, non-marring base.

7A-Light Duty, (Non-Swivel), Black Vinyl Base - SS Stud these *threaded glides* feature a stainless steel stud with a non-skid and non-marring base.




**Threaded Sliders**

IEC's *threaded sliders* shown to the right allow for easy sliding and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black rubber cushion top.



8-Light Duty, (Non-Swivel), Steel Base *threaded glides* have a plastic cushion inside the nickel plated steel base which reduces noise. The stud is zinc plated. Steel based glides slide easily on carpet.



(IL16A)

**Note:** IL16A has a black plastic base (no steel shell).



\* **Snap-on Nylon Glide Caps.** See page 10 for specifications. Available for IL16 thru IL18.

Part Nbr.	Thread	Hex	A	B	C	Base
<b>7-Light Duty, (Non-Skid), Black Vinyl Base</b>						
IL15-4x1/2	1/4-20	NO	1-1/8	1/2	3/8	Black
IL15-41	1/4-20	NO	1-1/8	1	3/8	Black
IL15-51	5/16-18	NO	1-1/8	1	3/8	Black
IL15-5x15	5/16-18	NO	1-1/8	1-1/2	3/8	Black
IL15-61	3/8-16	NO	1-1/8	1	3/8	Black
IL15-6x15	3/8-16	NO	1-1/8	1-1/2	3/8	Black
IL15-6x2	3/8-16	NO	1-1/8	2	3/8	Black

**7A-Light Duty, (Non-Skid), Black Vinyl Base with Stainless Steel Stud**

IL15-4x1/2-SS	1/4-20	NO	1-1/8	1/2	3/8	Black
IL15-41-SS	1/4-20	NO	1-1/8	1	3/8	Black
IL15-51-SS	1/4-20	NO	1-1/8	1	3/8	Black
IL15-5x15-SS	5/16-18	NO	1-1/8	1-1/2	3/8	Black
IL15-52-SS	5/16-18	NO	1-1/8	2	3/8	Black
IL15-61-SS	3/8-16	NO	1-1/8	1	3/8	Black
IL15-6x15-SS	3/8-16	NO	1-1/8	1-1/2	3/8	Black
IL15-62-SS	3/8-16	NO	1-1/8	2	3/8	Black

**7-Metric Light Duty, (Non-Skid), Black Vinyl Base**

IL15-M6	M6x1.00	NO	1-1/8	1	3/8	Black
IL15-M6x12	M6x1.00	NO	1-1/8	1/2	3/8	Black
IL15-M8	M8x1.25	NO	1-1/8	1	3/8	Black
IL15-M8x12	M8x1.25	NO	1-1/8	1/2	3/8	Black
IL15-M8x38	M8x1.25	NO	1-1/8	1-1/2	3/8	Black
IL15-M10	M10x1.50	NO	1-1/8	1	3/8	Black
IL15-M10x38	M10x1.50	NO	1-1/8	1-1/2	3/8	Black

**Threaded Sliders**

P/N	A DIA.	Base Ht.	Thread	1-99	100-249
IL15-41-SLDR	7/8	1/4	1/4-20x1	\$1.45	\$1.31
IL15-4x1/2-SLDR	7/8	1/4	1/4-20x1/2	\$1.40	\$1.26
IL15A-41-SLDR	1-1/8	1/4	1/4-20x1	\$1.60	\$1.44
IL15A-5x1/2-SLDR	1-1/8	1/4	5/16-18x1/2	\$1.80	\$1.62
IL15A-51-SLDR	1-1/8	1/4	5/16-18x1	\$1.85	\$1.67
IL15A-5x15-SLDR	1-1/8	1/4	5/16-18x1-1/2	\$1.95	\$1.76
IL15A-61-SLDR	1-1/8	1/4	3/8-16x1	\$2.05	\$1.85

**Threaded Sliders - Metric**

P/N	A DIA.	Base Ht.	Thread	1-99	100-249
IL15-M6-SLDR	7/8	1/4	M6X1	\$1.85	\$1.67
IL15A-M6x12-SLDR	1-1/8	1/4	M6X1/2	\$1.95	\$1.76
IL15A-M8x12-SLDR	1-1/8	1/4	M8X1/2	\$2.05	\$1.85
IL15A-M8-SLDR	1-1/8	1/4	M8X1	\$2.25	\$2.03
IL15A-M10-SLDR	1-1/8	1/4	M10X1	\$2.45	\$2.21

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

**8-Light Duty, Steel Base (with Black Plastic Cushion)**

IL16-4x1/2	1/4-20	NO	7/8	1/2	7/16	Steel
IL16-41	1/4-20	NO	7/8	1	7/16	Steel
IL16-51	5/16-18	NO	7/8	1	7/16	Steel
IL17-41	1/4-20	NO	1-1/16	1	7/16	Steel
IL17-51	5/16-18	NO	1-1/16	1	7/16	Steel
IL18-41	1/4-20	NO	1-1/4	1	7/16	Steel
IL18-51	5/16-18	NO	1-1/4	1	7/16	Steel
IL18-61	3/8-16	NO	1-1/4	1	7/16	Steel

**8-Light Duty, Metric Steel Base (with Black Plastic Cushion)**

IL16-M6x10	M6x1.0	NO	3/4	3/8	7/16	Steel
IL16-M6x25	M6x1.0	NO	3/4	1	7/16	Steel
IL17-M8x25	M8x1.25	NO	1-1/16	1	7/16	Steel
IL17-M10x25	M10x1.50	NO	1-1/16	1	7/16	Steel
IL18-M6x25	M6x1.0	NO	1-1/4	1	7/16	Steel
IL18-M8x25	M8x1.25	NO	1-1/4	1	7/16	Steel
IL18-M10x25	M10x1.50	NO	1-1/4	1	7/16	Steel

**8A-Light Duty, Black Plastic Base**

IL16A-4x1/2	1/4-20	NO	1	1/2	3/8	Black
IL16A-4x3/4	1/4-20	NO	1	3/4	3/8	Black
IL16A-4x1	1/4-20	NO	1	1	3/8	Black
IL16A-51	5/16-18	NO	1	1	3/8	Black
IL16A-5x15	5/16-18	NO	1	1-1/2	3/8	Black




**LIGHT-DUTY LEVELERS**  
**THREADED GLIDES**


**Threaded Leveling Glides**

**18-Light Duty, (Long Stem), Black Plastic Base** These *long-stem glides* feature extended thread lengths and hex adjustment. IL31-6Bx15 also available with top slot (add -SL).


**18B-Carpet Gripper Glides** This *leveling glide* has spikes on the bottom of the black nylon base in order to resist sliding on carpet.




**19-Light Duty, (Molded Hex), Black Plastic Base** These *glides* feature a hex molded into the base which allows the base to be low profile.



**20-Light Duty, (Low Profile), Black Plastic Base** These *low-profile glides* have some thread sizes with slots (-SL). Also available in white (-W) or brown (-BR).



**20A-Threaded Felt Pads** IEC's *threaded felt pads* or IEC's wood screw felt pads (see Nail Glide section) provide floor protection and reduce noise. The threaded stud allows for leveling adjustment to reduce table and chair wobble. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts. Standard thread length is 1".



Part Nbr.	Thread	Hex	A	B	C	Base
<b>18-Long Stem Glides</b>						
IL31-6Bx15	3/8-16	YES	1-5/8	1-1/2	5/8	BLACK
IL31-6Bx25	3/8-16	YES	1-5/8	2-1/2	5/8	BLACK
IL31-6Bx35	3/8-16	YES	1-5/8	3-1/2	5/8	BLACK

<b>18B - Carpet Gripper Glides</b>						
IL31A-52B	5/16-18	YES	1-3/4	2	5/8	BLACK

<b>19-Round Molded Hex Glides - Black</b>						
IL32-41B	1/4-20	YES	1-1/4	1	3/8	BLACK
IL32-4Bx15	1/4-20	YES	1-1/4	1-1/2	3/8	BLACK
IL32-51B	5/16-18	YES	1-1/4	1	3/8	BLACK
IL32-5Bx15	5/16-18	YES	1-1/4	1-1/2	3/8	BLACK
IL32-52B	5/16-18	YES	1-1/4	2	3/8	BLACK
IL32-61B	3/8-16	YES	1-1/4	1	3/8	BLACK
IL32-6Bx15	3/8-16	YES	1-1/4	1-1/2	3/8	BLACK
IL32-62B	3/8-16	YES	1-1/4	2	3/8	BLACK
IL32-7Bx175	1/2-13	YES	1-3/8	1-3/4	7/16	BLACK
IL32A-41B	1/4-20	YES	1	1	3/8	BLACK
IL32A-4Bx15	1/4-20	YES	1	1-1/2	3/8	BLACK
IL32A-51B	5/16-18	YES	1	1	3/8	BLACK
IL32A-5Bx15	5/16-18	YES	1	1-1/2	3/8	BLACK
IL32A-61B	3/8-16	YES	1	1	3/8	BLACK
IL32A-6Bx15	3/8-16	YES	1	1-1/2	3/8	BLACK

<b>19-Round Molded Hex Glides - Clear</b>						
IL32-41C	1/4-20	YES	1-1/4	1	3/8	CLEAR
IL32-5Cx15	5/16-18	YES	1-1/4	1-1/2	3/8	CLEAR
IL32-6Cx15	3/8-16	YES	1-1/4	1-1/2	3/8	CLEAR

<b>19-Round Molded Hex Glides - Clear Base, S.S. Stud</b>						
IL32-41CS	1/4-20	YES	1-1/4	1	3/8	CLEAR
IL32-5CSx15	5/16-18	YES	1-1/4	1-1/2	3/8	CLEAR
IL32-6CSx15	3/8-16	YES	1-1/4	1-1/2	3/8	CLEAR

<b>19-Metric Round Molded Hex Glides</b>						
IL32-M8Bx38-SL	M8x1.25	YES	1-1/4	1-1/2	3/8	BLACK
IL32-M10Bx38-SL	M10x1.50	YES	1-1/4	1-1/2	3/8	BLACK

<b>20-Low Profile Glides</b>						
IL33-41B	1/4-20	NO	1-1/2	1	5/16	BLACK
IL33-4Bx15	1/4-20	NO	1-1/2	1-1/2	5/16	BLACK
IL33-5Bx3/4	5/16-18	NO	1-1/2	3/4	5/16	BLACK
IL33-5Bx15	5/16-18	NO	1-1/2	1-1/2	5/16	BLACK
IL33-6Bx3/4	3/8-16	NO	1-1/2	3/4	5/16	BLACK
IL33-6Bx15-SL	3/8-16	NO	1-1/2	1-1/2	3/8	BLACK
IL33A-6Bx15-SL	3/8-16	NO	1-3/4	1-1/2	3/8	BLACK
IL33B-61B	3/8-16	NO	2	1	3/8	BLACK

<b>20A - Threaded Felt Pads</b>						
Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread	1-99	100-249
IL33C-41B-FELT	1	5/16	1/2	1/4-20x1	\$1.39	\$1.25
IL33C-51B-FELT	1	5/16	1/2	5/16-18x1	\$1.47	\$1.32
IL33C-61B-FELT	1	5/16	1/2	3/8-16x1	\$1.56	\$1.40

Thread length is 1" (25mm) for the metric threaded felt pads.

<b>20A - Metric Threaded Felt Pads - Brown</b>						
Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread	1-99	100-249
IL33C-M6B-FELT	1	5/16	1/2	M6x1.0	\$1.49	\$1.35
IL33C-M8B-FELT	1	5/16	1/2	M8x1.25	\$1.57	\$1.42
IL33C-M10B-FELT	1	5/16	1/2	M10x1.50	\$1.66	\$1.50

Thread length is 1" (25mm) for the metric threaded felt pads.


<b>20A - Metric Threaded Felt Pads - White</b>						
Part Nbr.	Dia	Felt Thk.	Base Ht.	Thread	1-99	100-249
IL33C-M6W-FELT	1	5/16	1/2	M6x1.0	\$1.54	\$1.40
IL33C-M8W-FELT	1	5/16	1/2	M8x1.25	\$1.62	\$1.47
IL33C-M10W-FELT	1	5/16	1/2	M10x1.50	\$1.71	\$1.55

Thread length is 1" (25mm) for the metric threaded felt pads.




**Threaded Fixed Base Leveling Glides**

18C-Light Duty, Fixed Nylon Base *threaded glides* have a black, non-swivel base and black nylon top. The steel stud is zinc plated and has a top slot.




18C-Metic Light Duty, Fixed Nylon Base *threaded glides* have a black, non-swivel base and black nylon top. The metric steel stud is zinc plated and has a top slot.



18D-Light Duty, Fixed Rubber Base *threaded glides* have a black, non-swivel rubber base made of TPR (thermo-plastic rubber) which provides a non-skid, non-marring surface. The steel stud is zinc plated and has a top slot.

18D-Metric Light Duty, Fixed Rubber Base *threaded glides* have a black, non-swivel rubber base made of TPR (thermo-plastic rubber) which provides a non-skid, non-marring surface. The metric steel stud is zinc plated and has a top slot.



18E-Light Duty, Fixed PTFE Base *threaded sliders* allow for easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated stud with a top slot.


18E-Metric Light Duty, Fixed PTFE Base *threaded sliders* allow easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated metric stud with a top slot.

Part Nbr.	Thread	Hex	A	B	C	Base
<b>18C-Fixed Nylon Base Glides</b>						
IL31B-4X1/2-N	1/4-20	YES	1-3/8	1/2	7/8	BLACK
IL31B-41-N	1/4-20	YES	1-3/8	1	7/8	BLACK
IL31B-4X15-N	1/4-20	YES	1-3/8	1-1/2	7/8	BLACK
IL31B-51-N	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-N	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-N	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-N	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-N	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-N	3/8-16	YES	1-3/8	2	1	BLACK
<b>18C-Metric Fixed Nylon Base Glides</b>						
IL31B-M6X12-N	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-N	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-N	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-N	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-N	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-N	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-N	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-N	M10 X 1.50	YES	1-3/8	2	1	BLACK
<b>18D-Fixed Rubber Base Glides</b>						
IL31B-4X1/2-R	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-R	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-R	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31B-51-R	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-R	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-R	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-R	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-R	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-R	3/8-16	YES	1-3/8	2	1	BLACK
<b>18D-Metric Fixed Rubber Base Glides</b>						
IL31B-M6X12-R	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-R	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-R	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-R	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-R	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-R	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-R	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-R	M10 X 1.50	YES	1-3/8	2	1	BLACK
<b>18E-Fixed PTFE Slider Base Glides</b>						
IL31B-4X1/2-PTFE	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-PTFE	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-PTFE	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31B-51-PTFE	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-PTFE	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-PTFE	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-PTFE	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-PTFE	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-PTFE	3/8-16	YES	1-3/8	2	1	BLACK
<b>18E-Metric Fixed PTFE Slider Base Glides</b>						
IL31B-M6X12-PTFE	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-PTFE	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-PTFE	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-PTFE	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-PTFE	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-PTFE	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-PTFE	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-PTFE	M10 X 1.50	YES	1-3/8	2	1	BLACK




**Threaded Fixed Base Leveling Glides**

18F-Light Duty, Fixed Steel Base *threaded glides* have a black nylon top above the steel base. The stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18F-Metric Light Duty, Fixed Steel Base *threaded glides* have a black nylon top above the steel base. The metric stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18G-Light Duty, Fixed Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.


18G-Metric Light Duty, Fixed Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.

Part Nbr.	Thread	Hex	A	B	C	Base
<b>18F-Fixed Steel Base Glides</b>						
IL31B-4X1/2-S	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-S	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-S	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31B-51-S	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-S	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-S	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-S	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-S	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-S	3/8-16	YES	1-3/8	2	1	BLACK
<b>18F-Metric Fixed Steel Base Glides</b>						
IL31B-M6X12-S	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-S	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-S	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-S	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-S	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-S	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-S	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-S	M10 X 1.50	YES	1-3/8	2	1	BLACK
<b>18G-Fixed Felt Base Glides</b>						
IL31B-4X1/2-F	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31B-41-F	1/4-20	YES	1-3/8	1	1	BLACK
IL31B-4X15-F	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31B-51-F	5/16-18	YES	1-3/8	1	1	BLACK
IL31B-5X15-F	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31B-52-F	5/16-18	YES	1-3/8	2	1	BLACK
IL31B-61-F	3/8-16	YES	1-3/8	1	1	BLACK
IL31B-6X15-F	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31B-62-F	3/8-16	YES	1-3/8	2	1	BLACK
<b>18G-Metric Fixed Felt Base Glides</b>						
IL31B-M6X12-F	M6 X 1.0	YES	1-3/8	1/2	7/8	BLACK
IL31B-M6X25-F	M6 X 1.0	YES	1-3/8	1	7/8	BLACK
IL31B-M8X12-F	M8 X 1.25	YES	1-3/8	1/2	1	BLACK
IL31B-M8X25-F	M8 X 1.25	YES	1-3/8	1	1	BLACK
IL31B-M8X38-F	M8 X 1.25	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X25-F	M10 X 1.50	YES	1-3/8	1	1	BLACK
IL31B-M10X38-F	M10 X 1.50	YES	1-3/8	1-1/2	1	BLACK
IL31B-M10X51-F	M10 X 1.50	YES	1-3/8	2	1	BLACK




### Threaded Swivel Base Leveling Glides

18C-Light Duty, Swivel Nylon Base *threaded glides* have a black, swivel base and black nylon top. The steel stud is zinc plated and has a top slot.




18C-Metric Light Duty, Swivel Nylon Base *threaded glides* have a black, swivel base and black nylon top. The metric steel stud is zinc plated and has a top slot.

18D-Light Duty, Swivel Rubber Base *threaded glides* have a black, swivel rubber base made of TPR (thermo-plastic rubber) for non-skid, non-marring support. The steel stud is zinc plated and has a top slot.



18D-Metric Light Duty, Swivel Rubber Base *threaded glides* have a black, swivel rubber base made of TPR (thermo-plastic rubber) for non-skid, non-marring support. The metric steel stud is zinc plated and has a top slot.

18E-Light Duty, Swivel PTFE Base *threaded sliders* allow for easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated stud with a top slot.



18E-Metric Light Duty, Swivel PTFE Base *threaded sliders* allow for easy sliding, reduce floor scratching and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black nylon top and zinc plated metric stud with a top slot.

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

#### 18H-Swivel Nylon Base Glides

IL31C-4X1/2-N	1/4-20	YES	1-3/8	1/2	7/8	BLACK
IL31C-41-N	1/4-20	YES	1-3/8	1	7/8	BLACK
IL31C-4X15-N	1/4-20	YES	1-3/8	1-1/2	7/8	BLACK
IL31C-51-N	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-N	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-N	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-N	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-N	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-N	3/8-16	YES	1-3/8	2	1	BLACK

#### 18H-Metric Swivel Nylon Base Glides

IL31C-M6X12-N	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X25-N	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-N	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X25-N	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-N	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-N	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-N	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

#### 18J-Swivel Rubber Base Glides

IL31C-4X1/2-R	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-R	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-R	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-R	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-R	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-R	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-R	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-R	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-R	3/8-16	YES	1-3/8	2	1	BLACK

#### 18J-Metric Swivel Rubber Base Glides

IL31C-M6X12-R	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X25-R	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-R	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X25-R	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-R	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-R	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-R	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

#### 18K-Swivel PTFE Slider Base Glides

IL31C-4X1/2-PTFE	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-PTFE	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-PTFE	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-PTFE	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-PTFE	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-PTFE	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-PTFE	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-PTFE	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-PTFE	3/8-16	YES	1-3/8	2	1	BLACK


#### 18K-Metric Swivel PTFE Slider Base Glides

IL31C-M6X12-PTFE	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X25-PTFE	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X12-PTFE	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X25-PTFE	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X38-PTFE	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X25-PTFE	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X38-PTFE	M10x1.5	YES	1-3/8	1-1/2	1	BLACK




### Threaded Swivel Base Leveling Glides

18L-Light Duty, Swivel Steel Base *threaded glides* have a black nylon top above the steel base. The stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18L-Metric Light Duty, Swivel Steel Base *threaded glides* have a black nylon top above the steel base. The metric stud is zinc plated and has a top slot. Steel based glides slide easily on carpet.



18M-Light Duty, Swivel, Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.

18M-Metric Light Duty, Swivel, Felt Base *threaded glides* (right) offer floor protection and reduce noise. They have a black nylon top above the brown felt base. The threaded metric stud is zinc plated and has a top slot. For wood legs that are not threaded, use IEC's threaded insert "T-nuts" or propeller nuts.

Part Nbr.	Thread	Hex	A	B	C	Base
-----------	--------	-----	---	---	---	------

#### 18L-Swivel Steel Slider Base Glides

IL31C-4X1/2-S	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-S	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-S	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-S	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-S	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-S	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-S	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-S	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-S	3/8-16	YES	1-3/8	2	1	BLACK

#### 18L-Metric Swivel Steel Slider Base Glides

IL31C-M6X1/2-S	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X1-S	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X1/2-S	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X1-S	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X3/8-S	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X1-S	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X15-S	M10x1.5	YES	1-3/8	1-1/2	1	BLACK

#### 18M-Swivel Felt Slider Base Glides

IL31C-4X1/2-F	1/4-20	YES	1-3/8	1/2	1	BLACK
IL31C-41-F	1/4-20	YES	1-3/8	1	1	BLACK
IL31C-4X15-F	1/4-20	YES	1-3/8	1-1/2	1	BLACK
IL31C-51-F	5/16-18	YES	1-3/8	1	1	BLACK
IL31C-5X15-F	5/16-18	YES	1-3/8	1-1/2	1	BLACK
IL31C-52-F	5/16-18	YES	1-3/8	2	1	BLACK
IL31C-61-F	3/8-16	YES	1-3/8	1	1	BLACK
IL31C-6X15-F	3/8-16	YES	1-3/8	1-1/2	1	BLACK
IL31C-62-F	3/8-16	YES	1-3/8	2	1	BLACK


#### 18M-Metric Swivel Felt Slider Base Glides

IL31C-M6X1/2-F	M6x1.0	YES	1-3/8	1/2	7/8	BLACK
IL31C-M6X1-F	M6x1.0	YES	1-3/8	1	7/8	BLACK
IL31C-M8X1/2-F	M8x1.25	YES	1-3/8	1/2	1	BLACK
IL31C-M8X1-F	M8x1.25	YES	1-3/8	1	1	BLACK
IL31C-M8X3/8-F	M8x1.50	YES	1-3/8	1-1/2	1	BLACK
IL31C-M10X1-F	M10x1.5	YES	1-3/8	1	1	BLACK
IL31C-M10X15-F	M10x1.5	YES	1-3/8	1-1/2	1	BLACK




### Threaded Leveling Glides

21-Light Duty, (Oval ) White Plastic Base These *oval glides* are available in small diameter sizes. Also available in brown color plastic (add -BR to part number).



Part Nbr.	Thread	Hex	A	B	C	Base
<b>21-Oval Base Glides</b>						
IL34-4Wx625	1/4-20	NO	5/8	5/8	1/4	WHITE
IL34-41W	1/4-20	NO	5/8	1	1/4	WHITE
IL34A-41W	1/4-20	NO	3/4	1	1/4	WHITE
IL34B-41W	1/4-20	NO	7/8	1	1/4	WHITE
IL34C-41W	1/4-20	NO	1	1	1/4	WHITE
IL34D-4Wx625	1/4-20	NO	1-1/8	5/8	1/4	WHITE
IL34D-41W	1/4-20	NO	1-1/8	1	1/4	WHITE
IL34D-4x15W	1/4-20	NO	1-1/8	1-1/2	1/4	WHITE


22-Light Duty, Clear, Plastic Base These *clear plastic glides* are available with three thread lengths.



Part Nbr.	Thread	Hex	A	B	C	Base
<b>22-Clear Glides</b>						
IL35-4x1/2	1/4-20	NO	1	1/2	13/32	CLEAR
IL35-4x3/4	1/4-20	NO	1	3/4	13/32	CLEAR
IL35-41	1/4-20	NO	1-1/8	1	7/16	CLEAR

**Note:** More sizes of clear glides in steel and stainless steel. (See IL32).

23-Light Duty, Brown, Plastic Base This *"bottle cap" glide* has an extended thread length and slot. Ideal for cabinet installations. IL36A does not have a top slot.



(IL36A)

Part Nbr.	Thread	Hex	A	B	C	Base
<b>23-Bottle Cap Glide</b>						
IL36-52-SL	5/16-18	NO	1-1/8	2-1/4	1/4	BROWN
IL36-5x275-SL	5/16-18	NO	1-1/8	2-3/4	1/4	BROWN
IL36-54-SL	5/16-18	NO	1-1/8	4	1/4	BROWN
IL36A-4Bx75	1/4-20	NO	7/8	3/4	1/4	BLACK
IL36A-5Bx75	5/16-18	NO	7/8	3/4	1/4	BLACK
IL36A-6Bx75	3/8-16	NO	7/8	3/4	1/4	BLACK
IL36A-M6x25	M6 x 1.0	NO	7/8	1	1/4	BLACK
IL36A-M8x25	M8 x 1.25	NO	7/8	1	1/4	BLACK

23A-Snap On Nylon Glide Caps These *nylon caps* snap over the base of several types of metal based glides. Examples: IL16 thru IL18, IL22 & IL23.



#### Snap On Nylon Glide Caps


P/N	FITS DIAMETER	FITS BASE
IL-CAP-NYL-1	7/8	STD BASE
IL-CAP-NYL-2	15/16	STD BASE
IL-CAP-NYL-3	1	STD BASE
IL-CAP-NYL-4	1-1/16	STD BASE
IL-CAP-NYL-5	1-1/4	STD BASE
IL-CAP-NYL-6	1-1/4	THICK BASE
IL-CAP-NYL-7	1-1/4	CONICAL BASE






**Threaded Leveling Glides**

**24-Medium Duty, Zinc plated, Metal Swivel Base** These *steel glides* have a zinc plated shell and stud. The stud tilts approximately 20°. The IL37A features a top end hex.




**25-Light Duty, Plastic Swivel Base** These *swivel glides* tilt 25° from the centerline. Available in black or white plastic.




**26-Light Duty, Black, Plastic Base Hex Glides** These *hex glides* are offered with a 1/4-20, 5/16-18 and 3/8-16 thread size. The 5/16-18 and metric sizes have a top end slot.



(IL39-4Bx15) (IL39-5Bx15-SL)



**27-Medium Duty, Zinc Plated, Steel Hex Glides** These *hex glides* are low profile and can handle heavy loads. Some sizes are available with a slot (-SL). Also available with top hex and slot (-HX-SL) Available with a gray polyethylene cap that fits over the hex. Add (-CAP) to part number. Limited offering in metric sizes.



\* Top hex only, no slot.




PE Cap for Hex Glides

Part Nbr.	Thread	Hex	A	B	C	Base
<b>24-Metal Base, Swivel Glides</b>						
IL37-52	5/16-18	YES	1-3/4	2	3/8	ZINC
IL37-6x15	3/8-16	YES	1-3/4	1-1/2	3/8	ZINC
IL37-62	3/8-16	YES	1-3/4	2	3/8	ZINC
IL37-6x25	3/8-16	YES	1-3/4	2-1/2	3/8	ZINC
IL37-63	3/8-16	YES	1-3/4	3	3/8	ZINC
IL37-64	3/8-16	YES	1-3/4	4	3/8	ZINC
IL37A-6x35-HX	3/8-16	YES	1-3/16	3-1/2	3/8	ZINC
<b>25-Plastic Swivel Glides</b>						
IL38-41B	1/4-20	NO	1-1/8	1	5/8	BLACK
IL38-41W	1/4-20	NO	1-1/8	1	5/8	WHITE
<b>26-Plastic Hex Glides</b>						
IL39-4Bx15	1/4-20	YES	1	1-1/2	5/16	BLACK
IL39-5Bx15-SL	5/16-18	YES	1	1-3/4	1/4	BLACK
IL39-61	3/8-16	YES	3/4	1	1/4	BLACK
IL39-6x15	3/8-16	YES	3/4	1-1/2	1/4	BLACK
<b>26-Metric Plastic Hex Glides</b>						
IL39-M8Bx38-SL	M8x1.25	YES	3/4	1-1/2	1/4	BLACK
IL39-M10Bx38-SL	M10x1.25	YES	3/4	1-1/2	1/4	BLACK
<b>27-Steel Hex Glides</b>						
IL40-41	1/4-20	YES	9/16	1	3/32	ZINC
IL40-4x125	1/4-20	YES	9/16	1-1/4	3/32	ZINC
IL40-5x1/2	5/16-18	YES	3/4	1/2	7/64	ZINC
IL40-51	5/16-18	YES	3/4	1	7/64	ZINC
IL40-5x125	5/16-18	YES	3/4	1-1/4	7/64	ZINC
IL40-5x15	5/16-18	YES	3/4	1-1/2	7/64	ZINC
IL40-5x15-SL	5/16-18	YES	3/4	1-1/2	7/64	ZINC
IL40-6x1/2	3/8-16	YES	7/8	1/2	9/64	ZINC
IL40-6x125	3/8-16	YES	7/8	1-1/4	9/64	ZINC
IL40-6x15	3/8-16	YES	7/8	1-1/2	9/64	ZINC
IL40-6x15-SL	3/8-16	YES	7/8	1-1/2	9/64	ZINC
IL40-6x2-SL	3/8-16	YES	7/8	2	9/64	ZINC
IL40-6x25-SL	3/8-16	YES	7/8	2-1/2	9/64	ZINC
IL40-7x25	1/2-13	YES	1-1/16	2-1/2	11/64	ZINC
<b>27-Steel Hex Glides - Metric</b>						
IL40-M6x30	M6x1	YES	9/16	1	3/32	ZINC
IL40-M8x25	M8x1.25	YES	3/4	1	7/64	ZINC
IL40-M8x40-SL	M8x1.25	YES	3/4	1-1/2	7/64	ZINC
IL40-M10x35	M10x1.50	YES	7/8	1-1/4	9/64	ZINC
IL40-M10x40-SL	M10x1.50	YES	7/8	1-1/2	9/64	ZINC
IL40-M10x60	M10x1.50	YES	7/8	2-3/8	9/64	ZINC
IL40-M10x65-SL	M10x1.50	YES	7/8	2-1/2	9/64	ZINC
IL40-M12x65	M12x1.75	YES	1-1/16	2-1/2	11/64	ZINC
<b>27A-Steel Hex Glides with Top Hex and Slot</b>						
IL40-4x3/4-HX-SL	1/4-20	YES	9/16	3/4	3/32	ZINC
IL40-41-HX-SL	1/4-20	YES	9/16	1	3/32	ZINC
IL40-4x125-HX-SL	1/4-20	YES	9/16	1-1/4	3/32	ZINC
IL40-4x15-HX-SL	1/4-20	YES	9/16	1-1/2	3/32	ZINC
IL40-4x2-HX-SL	1/4-20	YES	9/16	2	3/32	ZINC
IL40-5x3/4-HX-SL	5/16-18	YES	13/16	3/4	9/64	ZINC
IL40-51-HX-SL	5/16-18	YES	13/16	1	9/64	ZINC
IL40-5x125-HX-SL	5/16-18	YES	13/16	1-1/4	9/64	ZINC
IL40-5x15-HX-SL	5/16-18	YES	13/16	1-1/2	9/64	ZINC
IL40-5x2-HX-SL	5/16-18	YES	13/16	2	9/64	ZINC
IL40-5x25-HX-SL	5/16-18	YES	13/16	2-1/2	9/64	ZINC
IL40-6x3/4-HX-SL	3/8-16	YES	13/16	3/4	9/64	ZINC
IL40-61-HX-SL	3/8-16	YES	13/16	1	9/64	ZINC
IL40-6x125-HX-SL	3/8-16	YES	13/16	1-1/4	9/64	ZINC
IL40-6x15-HX-SL	3/8-16	YES	13/16	1-1/2	9/64	ZINC
IL40-6x2-HX-SL	3/8-16	YES	13/16	2	9/64	ZINC
IL40-6x25-HX-SL	3/8-16	YES	13/16	2-1/2	9/64	ZINC
IL40-6x3-HX-SL	3/8-16	YES	13/16	3	9/64	ZINC
IL40-6x35-HX-SL	3/8-16	YES	13/16	3-1/2	9/64	ZINC
IL40-7x188-HX*	1/2-13	YES	7/8	1-7/8	9/64	ZINC
IL40-7x312-HX*	1/2-13	YES	7/8	3-1/8	9/64	ZINC




**Threaded Leveling Glides**

28-Light Duty, Zinc Plated, Stamped Hex These *stamped hex glides* offer a large base diameter.




(IL41A-Xx)


29-Medium Duty Vibration Glides These *vibration dampening glides* have a black or gray neoprene base. The black base has a black finish on the shell and stud while the gray base has a clear zinc finish on the shell and stud.



30-Light Duty, Nickel Plated, Slotted Swivel Glides These *swivel glides* have a white plastic base with a nickel plated shell. The stud swivels 20° from the centerline. The top slot is standard but may also be ordered with a top hex and slot (-HX-SL).



31-Slotted Swivel Glide and Bracket Sets These *slotted glide and bracket sets* are designed for wood or metal applications. The glides swivel and have a top end slot (IL43 series). The corner (IL30-6-CB) and side brackets (IL30-6-SB) can be welded or installed with wood screws or bolts.



Part Nbr.	Thread	Hex	A	B	C	Base
<b>28-Stamped Hex Glides</b>						
IL41-4x15	1/4-20	YES	1-3/8	1-1/2	5/16	ZINC
IL41-5x15	5/16-18	YES	1-3/8	1-1/2	5/16	ZINC
IL41-5x25	5/16-18	YES	1-3/8	2-1/2	5/16	ZINC
IL41-6x125-HX	3/8-16	YES	1-3/8	1-1/4	5/16	ZINC
IL41-6x15	3/8-16	YES	1-3/8	1-1/2	5/16	ZINC
IL41-6x175-HX	3/8-16	YES	1-3/8	1-3/4	5/16	ZINC
IL41-7x15	1/2-13	YES	1-3/8	1-1/2	5/16	ZINC
IL41-73	1/2-13	YES	1-3/8	3	5/16	ZINC
IL41-7x35-HX	1/2-13	YES	1-3/8	3-1/2	5/16	ZINC
IL41A-63B-HX-SL	3/8-16	YES	1-3/8	3	5/16	BLACK

NOTE: PNs with a "HX" have a top hex on stud. IL41-7-35-HX has 3/8" top hex, 3/8" tall

Part Nbr.	Thread	Hex	A	B	C	Base
<b>29-Vibration Glides</b>						
IL42-5Gx15	5/16-18	YES	1	1-1/2	13/16	GRAY
IL42-5Bx15	5/16-18	YES	1	1-1/2	13/16	BLACK
IL42-M8Gx40	M8	YES	1	1-1/2	13/16	GRAY
IL42-63G	3/8-16	YES	1-1/2	3	1	GRAY
IL42-63B	3/8-16	YES	1-1/2	3	1	BLACK
IL42-72G	1/2-13	YES	1-1/2	2	1	GRAY
IL42-72B	1/2-13	YES	1-1/2	2	1	BLACK

Part Nbr.	Thread	Hex	A	B	C	Base
<b>30-Slotted Swivel Glides</b>						
IL43-6x15-SL	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL43-6x15-HX-SL	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL43-6x25-SL	3/8-16	YES	1-1/2	2-1/2	5/8	NICKEL
IL43-6x25-HX-SL	3/8-16	YES	1-1/2	2-1/2	5/8	NICKEL
IL43-63-SL	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL43-63-HX-SL	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL43-6x35-SL	3/8-16	YES	1-1/2	3-1/2	5/8	NICKEL
IL43-6x35-HX-SL	3/8-16	YES	1-1/2	3-1/2	5/8	NICKEL
IL43-64-SL	3/8-16	YES	1-1/2	4	5/8	NICKEL


Part Nbr.	Thread	Hex	A	B	C	Base
<b>30-Metric Slotted Swivel Glides</b>						
IL43-M8x38-HX-SL	M8x1.25	YES	1-1/2	1-1/2	5/8	NICKEL
IL43-M10x38-HX-SL	M10x1.50	YES	1-1/2	1-1/2	5/8	NICKEL

NOTE: Part Numbers with a "HX" have a top hex on stud.

Part Nbr.	Thread	Hex	A	B	C	Base
<b>31-Slotted Swivel Glide and Bracket Sets</b>						
IL44-61-CB	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL44-63-CB	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL44-64-CB	3/8-16	YES	1-1/2	4	5/8	NICKEL
IL44-61-SB	3/8-16	YES	1-1/2	1-1/2	5/8	NICKEL
IL44-63-SB	3/8-16	YES	1-1/2	3	5/8	NICKEL
IL44-64-SB	3/8-16	YES	1-1/2	4	5/8	NICKEL

Part Nbr.	Thread	Hex	A	B	C	Base
<b>32-Thick Base Glides</b>						
IL45-51B	5/16-18	NO	7/8	1	1/4	BLACK
IL45-5Bx15	5/16-18	NO	1-1/8	1-1/2	3/8	BLACK


32-Thick Base Glide These glides have a rugged-duty, black H.D.P.E. base.





### Threaded Leveling Glides


**33-Self-Adjusting Levelers** These *self-adjusting levelers* reduce table wobble. They feature an internal spring or a hydraulic spring (-HY).




**34-Table Wedge** This *black rubber table leg wedge* is designed to stop table wobble or to be used as a shim.




**35-Big Foot Leveler** These *large base levelers* are available in a black or white nylon base. To order white, replace "B" with "W".



**36-Stainless Steel Swivel Leveling Glide** These *304 stainless steel swivel glides* are free-rotating and swivel approximately 5° from the centerline. They are NSF certified. The black PVC base provides a non-skid and non-marring base. The 304 base can support much heavier loads.



**37-Zinc-plated Steel Vibration Levelers** These zinc-plated steel levelers have a waffle-type black neoprene pad that reduces vibration and provides grip. The stud swivels approximately 10° from the centerline.



### 33-IL46 Self-Adjusting Levelers

P/N	Thread x Length	Base Dia.	Height	1-24	25-99
IL46-4Bx38	1/4-20x3/8	1-1/4	1	\$3.30	\$3.14
IL46-5HBx75*	5/16-18x3/4	1-1/4	1	\$3.40	\$3.23
IL46-5HBx1*	5/16-18x1	1-1/4	1	\$4.20	\$3.99
IL46-4Bx38-HY	1/4-20x3/8	1-1/2	1-1/8	\$3.45	\$3.28
IL46-5Bx38-HY	5/16-18x3/8	1-1/2	1-1/8	\$3.55	\$3.37
IL46-6Bx38-HY	3/8-16x3/8	1-1/2	1-1/8	\$3.65	\$3.47
IL46-M6Bx10-HY	M6x10mm	1-1/2	1-1/8	\$3.75	\$3.56
IL46-M8Bx10-HY	M8x10mm	1-1/2	1-1/8	\$3.85	\$3.66
IL46-M10Bx10-HY	M10x10mm	1-1/2	1-1/8	\$3.95	\$3.75

\* Hex above base

### 34-Table Leg Wedge

P/N	Height	Width	Length
IL46A-WEDGE-1	3/16	1-1/8	1-7/8

Part Nbr.	Thread	Hex	A	B	C	Base
<b>35-Big Foot Leveler</b>						
IL47-5Bx15	5/16-18	YES	2-1/2	1-1/2	3/4	Black
IL47-5Bx25	5/16-18	YES	2-1/2	2-1/2	3/4	Black
IL47-6Bx15	3/8-16	YES	2-1/2	1-1/2	3/4	Black
IL47-6Bx25	3/8-16	YES	2-1/2	2-1/2	3/4	Black
IL47-6Bx35	3/8-16	YES	2-1/2	3-1/2	3/4	Black
IL47-7Bx25	1/2-13	YES	2-1/2	2-1/2	3/4	Black
IL47-7Bx35	1/2-13	YES	2-1/2	3-1/2	3/4	Black

Part Nbr.	Thread	Base	Load	A	B	C
<b>36-Stainless Steel Swivel Leveling Glide</b>						
IL48-6x125-90	3/8-16	PVC	90	1-1/4	13/16	5/8
IL48-6x156-175	3/8-16	PVC	175	1-9/16	13/16	5/8
IL48-6x2-220	3/8-16	PVC	220	2	13/16	5/8
IL48-6x125-440	3/8-16	S.S.	440	1-1/4	13/16	5/8
IL48-6x156-700	3/8-16	S.S.	700	1-9/16	13/16	5/8
IL48-6x2-220	3/8-16	S.S.	800	2	13/16	5/8

Part Nbr.	Thread	Hex	Load	A	B	C
<b>37-Zinc Plated Steel Vibration Levelers</b>						
IL49-4x125-75	1/4-20	YES	75	1-1/2	1-1/4	1
IL49-4x125-150	1/4-20	YES	150	1-1/2	1-1/4	1
IL49-6x162-75	3/8-16	YES	75	2-1/8	1-5/8	1
IL49-6x162-150	3/8-16	YES	150	2-1/8	1-5/8	1
IL49-6x162-300	3/8-16	YES	300	2-1/8	1-5/8	1
IL49-7x175-75	1/2-13	YES	75	2-1/8	1-11/16	1
IL49-7x175-150	1/2-13	YES	150	2-1/8	1-11/16	1
IL49-7x175-300	1/2-13	YES	300	2-1/8	1-11/16	1
IL49-7x175-450	1/2-13	YES	450	2-1/8	1-11/16	1