Adhesive-Backed, Nail-In and Slip-On Sliders

IEC's *sliders* are designed to help move large furniture and equipment, protect carpets from snags, protect floors and decks from scratches and rust stains, reduce table wobble, dampen vibration, and keep furniture joints from loosening when being moved into position. Offered in round, square (-SQ), rectangle (-RE) and triangular (-TR) shapes.

Typical applications include patio furniture, bookcases, chests of drawers, entertainment centers, file cabinets, refrigerators, stoves, washing machines, sofas, beds, tables, chairs, desks, bar stools, appliances, exercise equipment, office partitions, etc.

When using *sliders* on wood floors, the floor should be clean and free from grit or scratching may occur. Sliders are not recommended on newly refinished wood floors for at least 30 days after refinishing.

The *solid peel and stick sliders* are essentially "nail-less" sliders. Nail-in sliders are designed for wooden legs and are ideal for more rugged applications.



NON-PADDED (SOLID) PEEL & STICK SLIDERS

P/N	Dia.	Thick.	Color	Pkg
IL24A-SLDR-NP	3/4	1/8	WHITE	20
IL24A-SLDR-NP-100	3/4	1/8	WHITE	100
IL25-SLDR-NP	1	1/8	WHITE	20
IL25-SLDR-NP-100	1	1/8	WHITE	100

Standard color is white. For brown add (-BR) to P/N. For black add (-BLK) to P/N. Intended for light-duty applications. Not recommended for tables and chairs.



NAIL-IN SLIDERS

P/N	Dia.	Thick.	Color	Pkg
IL25-SLDR-N	1	1/4	WHITE	20
IL25-SLDR-N-100	1	1/4	WHITE	100
IL27-SLDR-N	1-1/2	1/4	WHITE	20
IL27-SLDR-N-100	1-1/2	1/4	WHITE	100

These *PTFE Nail Glides* (similar to Teflon®) have a gray base with a black rubber top cushion.



PTFE NAIL GLIDES WITH RUBBER CUSHION

P/N	Color	Diameter	Height	Nail Length
IL20-2-PTFE	GRAY	3/4	3/16	5/8
IL20-3-PTFE	GRAY	7/8	3/16	5/8
IL20-4-PTFE	GRAY	1	3/16	5/8
IL20-5-PTFE	GRAY	1-1/8	1/4	5/8
IL20-6-PTFE	GRAY	1-1/2	1/4	5/8

IEC's *slip-on sliders* are designed to fit over round or square chair legs and existing glide feet.

The brown *slip-on sliders* have a black base and the grey *slip-on sliders* have an off-white base. Also available with felt base. (See Slip-on felt section).

SLIP ON SLIDERS

P/N	Leg Size	Base Dia.	Color	Pkg
IL26-SLDR-SO-BR	3/4-1-1/4	1-3/4	BROWN	1
IL26-SLDR-SO-GR	3/4-1-1/4	1-3/4	GREY	1
IL27-SLDR-SO-BR	1-1-1/2	1-3/4	BROWN	1
IL27-SLDR-SO-GR	1-1-1/2	1-3/4	GREY	1

Adhesive-Backed Regular-Duty Sliders

IEC's *regular-duty sliders* are designed to help move large furniture and equipment, protect carpets from snags, protect floors and decks from scratches and rust stains, reduce table wobble, dampen vibration, and keep furniture joints from loosening when being moved into position. Offered in round, square (-SQ), rectangle (-RE) and triangular (-TR) shapes.

The *regular-duty sliders* have a rigid felt peel and stick cushion inside the base which can adhere to legs that may be larger than the polymer base. For rugged duty applications. See IEC's commercial duty sliders on page 16 of this catalog.

Typical applications include patio furniture, bookcases, chests of drawers, entertainment centers, file cabinets, refrigerators, stoves, washing machines, sofas, beds, tables, chairs, desks, bar stools, appliances, exercise equipment, office partitions, etc.

When using *sliders* on wood floors, the floor should be clean and free from grit or scratching may occur. Sliders are not recommended on newly refinished wood floors for at least 30 days after refinishing.

PEEL & STICK SLIDERS - REGULAR DUTY (ROUND)

P/N	Dia.	Thick.	Color	Pkg
IL25-SLDR	1	1/8	BEIGE	4
IL25-SLDR-20	1	1/8	BEIGE	20
IL25-SLDR-100	1	1/8	BEIGE	100
IL26-SLDR	1-1/4	1/8	BEIGE	4
IL26-SLDR-20	1-1/4	1/8	BEIGE	20
IL26-SLDR-100	1-1/4	1/8	BEIGE	100
IL27B-SLDR	1-3/4	1/8	BEIGE	4
IL27B-SLDR-20	1-3/4	1/8	BEIGE	20
IL27B-SLDR-100	1-3/4	1/8	BEIGE	100
IL27A2-SLDR	2-1/4	1/8	BEIGE	4
IL27A2-SLDR-20	2-1/4	1/8	BEIGE	20
IL27A2-SLDR-100	2-1/4	1/8	BEIGE	100
IL27E-SLDR	2-3/4	1/8	BEIGE	4
IL27E-SLDR-20	2-3/4	1/8	BEIGE	20
IL27E-SLDR-100	2-3/4	1/8	BEIGE	100
IL27K-SLDR	4	1/8	BEIGE	4
IL27K-SLDR-20	4	1/8	BEIGE	20
IL27K-SLDR-100	4	1/8	BEIGE	100
IL27N-SLDR	5	1/8	BEIGE	4
IL27N-SLDR-20	5	1/8	BEIGE	20
IL27N-SLDR-100	5	1/8	BEIGE	100

Adhesive-Backed Regular-Duty Sliders

IEC's *regular-duty sliders* are designed to help move large furniture and equipment, protect carpets from snags, protect floors and decks from scratches and rust stains, reduce table wobble, dampen vibration, and keep furniture joints from loosening when being moved into position. Offered in round, square (-SQ), rectangle (-RE) and triangular (-TR) shapes.

The *regular-duty sliders* have a rigid felt peel and stick cushion inside the base which can adhere to legs that may be larger than the polymer base. For rugged duty applications. See IEC's commercial duty sliders on page 16 of this catalog.

Typical applications include patio furniture, bookcases, chests of drawers, entertainment centers, file cabinets, refrigerators, stoves, washing machines, sofas, beds, tables, chairs, desks, bar stools, appliances, exercise equipment, office partitions, etc.

When using *sliders* on wood floors, the floor should be clean and free from grit or scratching may occur. Sliders are not recommended on newly refinished wood floors for at least 30 days after refinishing.

PEEL & STICK SLIDERS - REGULAR DUTY (SQUARE)

P/N	Size	Thick.	Pkg
IL25-SLDR-SQ	1	1/8	4
IL25-SLDR-SQ-20	1	1/8	20
IL25-SLDR-SQ-100	1	1/8	100
IL27A2-SLDR-SQ	2-1/4x2-1/4	1/8	4
IL27A2-SLDR-SQ-20	2-1/4x2-1/4	1/8	20
IL27A2-SLDR-SQ-100	2-1/4x2-1/4	1/8	100
IL27H-SLDR-SQ	3-1/2x3-1/2	1/8	4
IL27H-SLDR-SQ-20	3-1/2x3-1/2	1/8	20
IL27H-SLDR-SQ-100	3-1/2x3-1/2	1/8	100
IL27K-SLDR-SQ	4x4	1/8	4
IL27K-SLDR-SQ-20	4x4	1/8	20
IL27K-SLDR-SQ-100	4x4	1/8	100

PEEL & STICK SLIDERS - REGULAR DUTY (RECTANGLE)

P/N	Size	Thick.	Color	Pkg
IL24B-SLDR-RE	5/8x4	1/8	BEIGE	4
IL24B-SLDR-RE-20	5/8x4	1/8	BEIGE	20
IL24B-SLDR-RE-100	5/8x4	1/8	BEIGE	100

PEEL & STICK SLIDERS - REGULAR DUTY (TRIANGLE)

P/N	Size	Thick	Color	Pkg
IL27B-SLDR-TR	1-3/4x2-1/2	1/8	BEIGE	4
IL27B-SLDR-TR-20	1-3/4x2-1/2	1/8	BEIGE	20
IL27B-SLDR-TR-100	1-3/4x2-1/2	1/8	BEIGE	100
IL27H-SLDR-TR	3-1/2x4-1/2	1/8	BEIGE	4
IL27H-SLDR-TR-20	3-1/2x4-1/2	1/8	BEIGE	20
IL27H-SLDR-TR-100	3-1/2x4-1/2	1/8	BEIGE	100

Adhesive-Backed Commercial-Duty Sliders

IEC's *commercial duty sliders* are designed to help move large furniture and equipment, protect carpets from snags, protect floors and decks from scratches and rust stains, reduce table wobble, dampen vibration, and keep furniture joints from loosening when being moved into position. Offered in round, square (-SQ), rectangle (-RE) and triangular (-TR) shapes.

The *commercial-duty sliders* have a thicker polymer base and a foam (not felt) peel and stick cushion which allows the leg to sit deeper inside the polymer base.

Typical applications include patio furniture, bookcases, chests of drawers, entertainment centers, file cabinets, refrigerators, stoves, washing machines, sofas, beds, tables, chairs, desks, bar stools, appliances, exercise equipment, office partitions, etc.

When using *sliders* on wood floors, the floor should be clean and free from grit or scratching may occur. Sliders are not recommended on newly refinished wood floors for at least 30 days after refinishing.

PEEL & STICK SLIDERS - COMMERCIAL DUTY

P/N	Dia.	Thick.	Color	Pkg
IL26-SLDR-CD	1-1/4	1/8	GREY	4
IL26-SLDR-CD-20	1-1/4	1/8	GREY	20
IL26-SLDR-CD-100	1-1/4	1/8	GREY	100
IL27B-SLDR-CD	1-3/4	1/8	GREY	4
IL27B-SLDR-CD-20	1-3/4	1/8	GREY	20
IL27B-SLDR-CD-100	1-3/4	1/8	GREY	100
IL27B3-SLDR-CD	1-7/8	1/8	GREY	4
IL27B3-SLDR-CD-20	1-7/8	1/8	GREY	20
IL27B3-SLDR-CD-100	1-7/8	1/8	GREY	100
IL27A2-SLDR-CD	2-1/4	1/8	GREY	4
IL27A2-SLDR-CD-20	2-1/4	1/8	GREY	20
IL27A2-SLDR-CD-100	2-1/4	1/8	GREY	100

PEEL & STICK SLIDERS - COMMERCIAL DUTY (RECTANGLE)

P/N	Size	Thick.	Color	Pkg
IL24A-SLDR-RE-CD	13/16x2-1/4	1/8	GREY	4
IL24A-SLDR-RE-CD-20	13/16x2-1/4	1/8	GREY	20
IL24A-SLDR-RE-CD-100	13/16x2-1/4	1/8	GREY	100
IL25-SLDR-RE-CD	7/8x2-7/8	1/8	GREY	4
IL25-SLDR-RE-CD-20	7/8x2-7/8	1/8	GREY	20
IL25-SLDR-RE-CD-100	7/8x2-7/8	1/8	GREY	100

REUSABLE SLIDERS

P/N	Dia.	Thick.	Color	Pkg
IL27E-SLDR-FRS	2-3/4	1/8	GREY	4
IL27E-SLDR-FRS-20	2-3/4	1/8	GREY	20
IL27E-SLDR-FRS-100	2-3/4	1/8	GREY	100
IL27K-SLDR-FRS	4	1/8	GREY	4
IL27K-SLDR-FRS-20	4	1/8	GREY	20
IL27K-SLDR-FRS-100	4	1/8	GREY	100
IL27N-SLDR-FRS	5	1/8	GREY	4
IL27N-SLDR-FRS-20	5	1/8	GREY	20
IL27N-SLDR-FRS-100	5	1/8	GREY	100

Reuseable Foam Sliders

The *reusable foam padded sliders* do not have an adhesive backing on the foam pad and are designed for all applications. Also available in black (add -BLK). per special request.

Adhesive-Backed Wraps, Clear Sliders and Threaded Sliders

These *hexagon shaped sliders* will wrap around tubing and solid rod. The slitted sides ensure the pad will stay on. They can also adhere to existing glides. Perfect for stackable chairs and patio furniture.

PEEL & STICK SLIDERS WRAPS

P/N	Size	Thick.	Color	Pkg Qty
IL27-SLDR-WH-125-WRP	1-1/2x1-7/8	1/8	WHITE-WRAP	20
IL27A-SLDR-WH-125-WRP	1-7/8x1-7/8	1/8	WHITE-WRAP	20
IL27-SLDR-BLK-125-WRP	1-1/2x1-7/8	1/8	BLACK-WRAP	20
IL27A-SLDR-BLK-125-WRP	1-7/8x1-7/8	1/8	BLACK-WRAP	20

These round and square (-SQ) *clear plastic carpet sliders* are used mainly for carpet applications where the beige colored sliders are not preferred. Also used as caster wheel cups.

PEEL & STICK CLEAR CARPET SLIDERS

P/N	Size	Thick.	Pkg
IL27-SLDR-CLR-R	1-1/2	1/8	4
IL27-SLDR-CLR-20-R	1-1/2	1/8	20
IL27-SLDR-CLR-100-R	1-1/2	1/8	100
IL27B-SLDR-CLR-R	1-3/4	1/8	4
IL27B-SLDR-CLR-20-R	1-3/4	1/8	20
IL27B-SLDR-CLR-100-R	1-3/4	1/8	100
IL27A2-SLDR-CLR-R	2-1/4	1/8	4
IL27A2-SLDR-CLR-20-R	2-1/4	1/8	20
IL27A2-SLDR-CLR-100-R	2-1/4	1/8	100
IL27E-SLDR-CLR-R	2-3/4	1/8	4
IL27E-SLDR-CLR-20-R	2-3/4	1/8	20
IL27E-SLDR-CLR-100-R	2-3/4	1/8	100
IL27K-SLDR-CLR-R	4	1/8	4
IL27K-SLDR-CLR-20-R	4	1/8	20
IL27K-SLDR-CLR-100-R	4	1/8	100
IL27A2-SLDR-CLR-SQ	2-1/4x2-1/4	1/8	4
IL27A2-SLDR-CLR-SQ-20	2-1/4x2-1/4	1/8	20
IL27A2-SLDR-CLR-SQ-100	2-1/4x2-1/4	1/8	100
IL27H-SLDR-CLR-SQ	3-1/2x3-1/2	1/8	4
IL27H-SLDR-CLR-SQ-20	3-1/2x3-1/2	1/8	20
IL27H-SLDR-CLR-SQ-100	3-1/2x3-1/2	1/8	100
IL27K-SLDR-CLR-SQ	4x4	1/8	4
IL27K-SLDR-CLR-SQ-20	4x4	1/8	20
IL27K-SLDR-CLR-SQ-100	4x4	1/8	100

Threaded Sliders

IEC's *threaded sliders* shown here allow for easy sliding and provide noise reduction. They have a PTFE gray base (similar to teflon®) with a black rubber cushion top. Thread length is 1 (25mm) for metric threaded sliders.





THREADED SLIDERS

P/N	A DIA.	Base Ht.	Thread
IL15-41-SLDR	7/8	1/4	1/4-20x1
IL15-4x1/2-SLDR	7/8	1/4	1/4-20x1/2
IL15A-41-SLDR	1-1/8	1/4	1/4-20x1
IL15A-5x1/2-SLDR	1-1/8	1/4	5/16-18x1/2
IL15A-51-SLDR	1-1/8	1/4	5/16-18x1
IL15A-5x15-SLDR	1-1/8	1/4	5/16-18x1-1/2
IL15A-61-SLDR	1-1/8	1/4	3/8-16x1

THREADED SLIDERS - METRIC

P/N	A DIA.	Base Ht.	Thread
IL15-M6-SLDR	7/8	1/4	M6X1
IL15A-M6x12-SLDR	1-1/8	1/4	M6X1/2
IL15A-M8x12-SLDR	1-1/8	1/4	M8X1/2
IL15A-M8-SLDR	1-1/8	1/4	M8X1
IL15A-M10-SLDR	1-1/8	1/4	M10X1

Wood Screw Sliders

IEC's *wood screw sliders* shown here allow for easy sliding. They have a PTFE base with a black rubber cushion top. They can also use sheet metal screws and standard machine screws with or without a nut.



P/N	Dia.	Base Height	Hole Size	Thread
IL25-SLDR-WOOD	1	3/16	3/16	#6 x 5/8
IL27A-SLDR-WOOD	2	1/4	3/16	#6 x 5/8

Wood Screw Non-Skid Gripper Pads

IEC's *wood screw non-skid gripper pads* protect floors and reduce sliding. They have a black non-marring thermo-plastic rubber (TPR) base. They can also use sheet metal or machine screws, rivets, etc.

NON-SKID GRIPPER PADS (WITHOUT WASHER)

P/N	Diameter	Thickness	Hole Size
IL25A-GRIP-SCREW	1-1/8	1/4	3/16
IL27B3-GRIP-SCREW	1-7/8	1/4	3/16
IL27A2-GRIP-SCREW	2-1/4	1/4	3/16
IL27G-GRIP-SCREW	3-1/4	1/4	3/16

NON-SKID GRIPPER PADS (WITH WASHER)

P/N	Diameter	Thickness	Hole Size
IL25-GRIP-SCREW	1	5/16	3/16
IL27-GRIP-SCREW	1-1/2	5/16	3/16

Non-Skid "Peel & Stick" Vibration Pads

IEC's *non-skid vibration dampening floor protectors* reduce sliding, stains and noise.

These flexible vinyl "cushion pads" are 3/16" thick. They are available in round, rectangle and triangle shapes.

Typical applications are chairs, tables, desks, stools, benches, couches, beds, fitness and stereo equipment, washers, dryers, freezers, etc.



NON-SKID "PEEL & STICK" ROUND VIBRATION PADS

P/N	P/N	SIZE (Inches)	Pkg Qty
IL24A-SKID-BLK	IL24A-SKID-WH	3/4	20
IL25-SKID-BLK	IL25-SKID-WH	1	20
IL26-SKID-BLK	IL26-SKID-WH	1-1/4	20
IL27-SKID-BLK	IL27-SKID-WH	1-1/2	20
IL27B-SKID-BLK	IL27B-SKID-WH	1-3/4	20

NON-SKID "PEEL & STICK" GRIPPER STRIPS

P/N	SIZE (Inches)	Pkg Qty
IL24C-SKID-BLK-RE	1/2 x 2-5/8	20
IL24C3-SKID-BLK-RE	1/2 x 4	20
IL27B-SKID-BLK-TRI	1-3/4	20

Thin Gripper Strips

These *thin style gripper strips* are 1/16" thick vinyl.

NON-SKID "PEEL & STICK" GRIPPER STRIPS (THIN STYLE)

P/N	SIZE (Inches)	Pkg Qty
IL24C2-SKID-BLK-RE	1/2 x 3	20

Heavy Duty Adhesive Backed Neoprene Pads

IEC's non-skid, vibration dampening heavy-duty *neoprene pad* floor protectors reduce sliding, stains and noise. These solid neoprene pads are 1/8" thick and have a strong *peel and stick* adhesive backing. They feature a 60-70 durometer.

Typical applications include: machinery, equipment, displays, chairs, tables, desks, stools, benches, couches, beds, fitness and stereo equipment, washers, dryers, freezers, and more.



HEAVY-DUTY NEOPRENE PADS, ADHESIVE BACKED

P/N	DIAMETER (Inches)
IL24B-NEO	.62
IL26-NEO	1.2
IL27B-NEO	1.7
IL27A2-NEO	2.3
IL27E-NEO	2.8
IL27K-NEO	3.8

INTERNATIONAL EQUIPMENT COMPONENTS, INC.
Phone: 562.597.4533 eMail: sales@iec-corp.com
Web: www.levelingmounts.com | www.iec-corp.com

Clear Non-Skid Sleeves

IEC's transparent *non-skid sleeves* stretch to fit over various leg sizes, in both round and square shapes. For square legs increase size by 1/4 inch. The flexible sleeve will form to the square leg.The non-skid bottom of the sleeve will reduce scratching, noise, rust and stains. Typical applications are chairs, tables, desks, stools, bar stools, walkers, crutches.



Rubber Crutch Tip Glides

These *rubber crutch tip glides* are available in black (-B), white (-W) and gray (-G). They are non-skid; white and gray types are non-marring. They are useful for crutches, walkers, canes, tables, chairs, etc. For hollow legs, we recommend using a washer in the bottom of the glide to keep the leg from cutting through the glide. Measure the outside diameter of leg to select the correct glide size.

Wood Screw Gripper Pads

IEC's *wood screw non-skid gripper pads (above)* protect floors and reduce sliding. They have a black non-marring thermo-plastic rubber (TPR) base. They can also use sheet metal or machine screws, rivets, etc.

(Specifications shown on page 19.)

CLEAR NON-SKID SLEEVES

P/N	Fits Dia. (Inches)
IL24C-SLV-CLR	1/2 to 5/8
IL24-SLV-CLR	5/8 to 3/4
IL25-SLV-CLR	7/8 to 1-1/16
IL26-SLV-CLR	1-1/8 to 1-1/4
IL27-SLV-CLR	1-1/2 to 1-5/8
IL27B-SLV-CLR	1-5/8 to 1-3/4

RUBBER CRUTCH TIP GLIDES

P/N	LEG O.D.	HEIGTH
IL24F-CTG-B	1/8	3/8
IL24G-CTG-B	3/16	1/2
IL24E-CTG-B	1/4	3/4
IL24D-CTG-B	3/8	1-1/8
IL24C-CTG-B	1/2	1-3/16
IL24B-CTG-B	5/8	1-9/32
IL24A-CTG-B	3/4	1-3/8
IL24-CTG-B	7/8	1-1/2
IL25-CTG-B	1	1-9/16
IL25A-CTG-B	1-1/8	1-11/16
IL26-CTG-B	1-1/4	1-13/16
IL27-CTG-B	1-1/2	7/8
IL27A2-CTG-B	2-1/4	1-5/16
IL24C-CTG-W	1/2	1-13/16
IL24B-CTG-W	5/8	1-9/32
IL24A-CTG-W	3/4	1-3/8
IL24-CTG-W	7/8	1-1/2
IL25-CTG-W	1	1-9/16
IL25A-CTG-W	1-1/8	1-11/16
IL26-CTG-W	1-1/4	1-13/16
IL27-CTG-W	1-1/2	7/8
IL24C-CTG-G	1/2	1-3/16
IL24B-CTG-G	5/8	1-9/32
IL24A-CTG-G	3/4	1-3/8
IL24-CTG-G	7/8	1-1/2
IL25-CTG-G	1	1-9/16
IL25ACTG-G	1-1/8	1-11/16
IL26-CTG-G	1-1/4	1-13/16
IL27-CTG-G	1-1/2	7/8